

**SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION**


<b>PRODUCT NAME:</b> SwiftSet Self-Leveler	<b>MANUFACTURER:</b> Turley International Resources, LLC.
<b>PRODUCT USE:</b> High Strength SLU (self-leveling underlayment)	4322 South 80 <sup>th</sup> Street
<b>SUPPLIER:</b> Stone Edge Surfaces	Mesa, AZ 85212 - USA
	TEL: 844-786-6333 E: info@stonedgesurfaces.com
<b>EMERGENCY:</b> 911 or Emergency Room	<b>MEDICAL:</b> 911 or Emergency Room

**SECTION 2 – HAZARDS IDENTIFICATION**

**CLASSIFICATION OF THE SUBSTANCE MIXTURE:**

HAZARD CLASS	CATEGORY	HAZARD STATEMENTS
Acute Toxicity, Oral	4	Harmful if swallowed
Acute Toxicity, Dermal	5	May be harmful in contact with skin
Skin corrosion / irritation	1	Causes severe skin burns and eye damage
Serious eye damage / Eye irritation	1	Causes serious eye damage
Carcinogenicity	2B	Hazardous in case of inhalation
Specific target organ toxicity, single exposure	3	May cause respiratory irritation
Specific target organ toxicity, repeated exposure	1	Causes damage to lungs and respiratory system, through prolonged or repeated exposure by inhalation. Causes damage to kidney and liver through prolonged or repeated exposure.

**OSHA HAZARD COMMUNICATION STANDARD:** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

<b>GHS LABEL ELEMENTS:</b>	<b>SIGNAL WORD: DANGER</b>	<b>PICTOGRAM (S):</b> 
----------------------------	----------------------------	--

**PRECAUTIONARY STATEMENTS:**

HEADING	OSHA Ref. #	Instructions
<b>PREVENTION:</b>	P201	Obtain special instruction before use.
	P202	Do not handle until all safety precautions have been read and understood.
	P281	Use personal protective equipment as required.
	P271	Use only outdoors or in a well-ventilated area.
	P260	Do not breathe dusts or mists.
	P270	Do not eat, drink, and smoke when using this product.
	P280	Wear protective gloves/ protective clothing / eye protection/ face protection.
	P264	Wash exposed area with plenty of water and soap thoroughly after handling.
<b>RESPONSE:</b>	P301 + P330 + P312	IF SWALLOWED: Rinse mouth. Call a POISON CENTER or physician if you feel unwell.
	P331	Do not induce vomiting.
	P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P363	Wash contaminated clothing before reuse.
	P304 + P340 + P310	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician
	P305+ P351+ P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER or doctor/ physician.
P308+ P313	IF exposed or concerned: Get medical advice/attention.	
<b>STORAGE:</b>	P403 + P235 + P405	Store in a well-ventilated place. Keep cool. Store Locked Up
<b>DISPOSAL:</b>	P501	Dispose of contents/container to hazardous or special waste collection point in accordance with local/regional/national/international regulations

**SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS**

Components	CAS #	EC #	Concentration, %
Calcium Sulfoaluminate	None	N/A	<500
Silica Sand	14808-60-7	N/A	<50
Proprietary Blend*	N/A	N/A	<5%
Portland Cement	65997-15-1	N/A	<10%

**SECTION 4 – FIRST AID MEASURES**

<b>EMERGENCY INFORMATION:</b>	<b>EYES:</b> Immediately flush eye thoroughly with water. Continue flushing eye for at least 15 minutes, including under lids, to remove all particles. Call physician immediately.
-------------------------------	---

<b>EMERGENCY INFORMATION:</b>	<p><b>SKIN:</b> Wash skin with cool water and pH-neutral soap or a mild detergent. Seek medical treatment if irritation or inflammation develops or persists. Seek immediate medical treatment in the event of burns.</p> <p><b>INHALATION:</b> Remove person to fresh air. If breathing is difficult, administer oxygen. If not breathing, give artificial respiration. Seek medical help if coughing and other symptoms do not subside. Inhalation of large amounts of product requires immediate medical attention.</p> <p><b>INGESTION:</b> Do not induce vomiting. If conscious, have victim drink plenty of water and call a physician immediately.</p>
-------------------------------	---

**SECTION 5 – FIREFIGHTING MEASURES**

<b>SUITABLE EXTINGUISHING MEDIA:</b>	Use an extinguishing agent suitable for the surrounding fire.
<b>UNSUITABLE EXTINGUISHING MEDIA:</b>	Do not use water jet and halogenated compounds
<b>SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:</b>	This product is non-flammable and non-combustible. Containers at risk from fire should be cooled with water spray and, if possible, removed from the danger area.
<b>HAZARDOUS COMBUSTION PRODUCTS:</b>	None.
<b>SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS:</b>	Firefighters should wear full protective gear.

**SECTION 6 – ACCIDENTAL RELEASE MEASURES**

<b>EMERGENCY PROCEDURES:</b>	Keep unnecessary and unprotected personnel from entering spill area. Do not touch or walk through spilled material.
<b>PROTECTIVE EQUIPMENT:</b>	Use exposure control and personal protection methods as described in Section 8. Ensure adequate ventilation/exhaust extraction. Avoid inhalation of dust and contact with skin and eyes during clean up.
<b>PROPER METHODS OF CONTAINMENT:</b>	Collect dry material using a scoop. Avoid actions that cause dust to become airborne. Do not dry sweep. Avoid inhalation of dust and contact with skin. Vacuum dust with equipment fitted with HEPA filter and place in a designated labeled waste container. If material is wet, scrape up wet material and place in an appropriate container. Allow the material to dry before disposal. For major spills: approach from upwind. Prevent wind dispersal.
<b>CLEANUP:</b>	Seal the container(s), remove from spill area and properly dispose of the waste material in accordance with existing federal, state and local regulations.
<b>ENVIRONMENTAL PRECAUTIONS:</b>	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater, basements or confined areas. Large spills in waterways may be hazardous due to alkalinity of the certain components of the product. Inform the relevant authorities if the product has accessed waterways or other natural areas. See Section 12 for more details.

**SECTION 7 – HANDLING AND STORAGE**

<b>PRECAUTIONS FOR SAFE HANDLING:</b>	Do not breathe dust. Use adequate ventilation and/or dust collection methods. Use all available work practices to control dust exposures, such as water sprays. Do not permit dust to collect on walls, floors, sills, ledges, machinery, or equipment. Avoid breakage of bagged material or spills of bulk material. Wear appropriate respiratory, eye and skin protection. Avoid contact with skin and eyes. Wash hands thoroughly after handling. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Hands and/or face should be washed before eating, drinking and smoking and at the end of the shift. Remove contaminated clothing and protective equipment before entering eating areas. Wash or vacuum clothing when becomes dusty. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure by obtaining and following special instructions before use. Do not handle until all safety precautions have been read and understood.
<b>PRECAUTIONS FOR STORAGE:</b>	Store in original or approved alternative container protected from direct sunlight in a dry, cool and well-ventilated area away from incompatible materials (see below for details) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed. Store bags to avoid accidental tearing, breaking, or bursting. Avoid windblown dust by shielding or covering outdoor stockpiles. Protect from getting wet from atmospheric moisture and other sources.
<b>INCOMPATIBILITIES:</b>	High heated areas, keep in cool, well ventilated areas

**SECTION 8 – PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION**

**OSHA’s PERMISSIBLE EXPOSURE LIMITS (PEL)**

COMPONENTS	CAS #	OSHA PEL mg/m <sup>3(e)</sup>	Cal/OSHA PEL 8-hour TWA, mg/m <sup>3</sup>	NIOSH REL Up to 10-hour TWA, mg/m <sup>3</sup>	ACGIH 2017 TLV 8hrs TWA, mg/m <sup>3</sup>
N/A		No Data	N/A	N/A	N/A

<b>ENGINEERING CONTROLS:</b>	Avoid actions that cause dust to become airborne. Use local exhaust or general dilution ventilation to control exposure within applicable limits.
<b>PERSONAL PROTECTIVE EQUIPMENT (PPE).</b>	
<b>RESPIRATORY PROTECTION:</b>	Use local exhaust or general dilution ventilation to control dust levels below applicable exposure limits. Minimize dispersal of dust into air. If local or general ventilation is not adequate to control dust levels below applicable exposure limits or when dust causes irritation or discomfort, use MSHA/NIOSH approved respirators.
<b>EYE PROTECTION:</b>	Wear safety glasses with side shields or goggles to avoid contact with eyes. In extreme dusty environments and unpredictable environments, wear tight fitting unvented or indirectly vented goggles to avoid eye irritation or injury. Contact lenses should not be worn when handling cement or cement containing products.
<b>SKIN PROTECTION:</b>	Wear impervious abrasion and alkali-resistant gloves, boots, long sleeve shirt, long pants or other protective clothing to prevent skin contact. Wash Hands with Soap and Water.

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

VISCOSITY	Not Applicable	APPEARANCE:	Fine Powder, tan color
ODOR & ODOR THRESHOLD:	Odorless	FLASH POINT:	Not Applicable, Not Flammable
BOILING POINT:	N/A	MELTING POINT:	N/A
EVAPORATION RATE:	Not Applicable	FLAMMABILITY (SOLID/GAS)	Not Applicable
VAPOR PRESSURE:	Not applicable	pH (IN WATER): (ASTM D 1293-95)	N/A
VAPOR DENSITY:	Not applicable	SOLUBILITY IN WATER:	Slightly (0.1%-1.0%)
RELATIVE DENSITY	Not Applicable	UPPER/LOWER FLAMMABILITY	Not Flammable, Not Explosive
PARTITION COEFFICIENT:	Not Applicable	AUTO IGNITION TEMPERATURE	Not Flammable

## SECTION 10 – STABILITY AND REACTIVITY

CHEMICAL STABILITY:	Product is stable under recommended storage conditions. Keep dry until used.		
CHEMICAL REACTIVITY:	Hazardous Polymerization:	none	
	Corrosion to Metals:	Not Available	
	Oxidizing Properties:	Not Available	
CONDITIONS TO AVOID:	Avoid generation of dust.		
INCOMPATIBILITY:	Not recommended for applying in 50' f or below, the product may not cure evenly causing cracking.		
HAZARDOUS DECOMPOSITION:	N/A		

## SECTION 11 – TOXICOLOGY INFORMATION

LIKELY ROUTES OF EXPOSURE:	Skin and Eye Contact, Inhalation and Ingestion.
----------------------------	---

### SYMPTOMS OF EXPOSURE:

ACUTE TOXICITY	INGESTION:	Harmful if swallowed. Adverse symptoms may include burns to mouth, throat and stomach, abdominal pain, nausea and diarrhea. Although inadvertent ingestion of small quantities of wet concrete or its dry ingredients are not known to be harmful, ingestion of larger quantities can be harmful and requires immediate medical attention
	INHALATION:	May cause respiratory tract irritation and coughing. Ingredients may contain trace amounts of crystalline silica. Exposure to these ingredients in excess of the applicable TLV or PEL (see Section 2) may cause or aggravate other lung conditions
	SKIN CORROSION SKIN IRRITATION	Acute Skin Irritation.
	SERIOUS EYE DAMAGE & IRRITATION	Adverse symptoms may include tearing, redness, pain and in the worst-case blindness. Dust may cause abrasion of the cornea.
	SPECIFIC TARGET ORGAN GENERAL TOXICITY: SINGLE EXPOSURE:	This product contains components that may cause respiratory tract irritation after single exposure.
	SPECIFIC TARGET ORGAN GENERAL TOXICITY: REPEAT EXPOSURE	Lungs-
	ASPIRATION HAZARD:	Not an aspiration hazard.

CHRONIC TOXICITY	Respiratory and Skin Sensitizer:	This product contains trace amounts of chemical (impurity) that is reported to be a skin sensitizer: present in Portland Cement at level <0.1%									
	Generative Cell Mutagenicity	Risk to humans is not expected from exposure to this product									
	Carcinogenicity:	This product contains components reported to be carcinogenic to humans. Group 1).	<table border="1"> <tr> <td rowspan="4">Silica</td> <td>IARC:</td> <td>Group 1 (Carcinogenic to humans)</td> </tr> <tr> <td>NTP:</td> <td>Known to be a Human Carcinogen (Respirable size)</td> </tr> <tr> <td>ACGIH:</td> <td>(Quartz)(Not Available)</td> </tr> <tr> <td>NIOSH:</td> <td>Classified A2 ( Suspected for Human)</td> </tr> </table>	Silica	IARC:	Group 1 (Carcinogenic to humans)	NTP:	Known to be a Human Carcinogen (Respirable size)	ACGIH:	(Quartz)(Not Available)	NIOSH:
Silica	IARC:	Group 1 (Carcinogenic to humans)									
	NTP:	Known to be a Human Carcinogen (Respirable size)									
	ACGIH:	(Quartz)(Not Available)									
	NIOSH:	Classified A2 ( Suspected for Human)									

Reproductive Toxicity:	Risk to humans is not expected from exposure to this product.
------------------------	---

General Product Warning:	May cause cancer. Prolonged exposure can effect target organ(lungs).
--------------------------	--

## SECTIONS 12 – ECOLOGICAL INFORMATION

<b>ECOTOXICITY</b>	Not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
<b>PERSISTENCE AND DEGRADABILITY:</b>	No information available for the product, believed to be not readily biodegradable by OECD criteria.
<b>BIOACCUMULATIVE POTENTIAL:</b>	No information is available for the product, but it is believed that no significant accumulation in organisms is expected
<b>MOBILITY IN SOIL:</b>	No information is available for the product, but it is believed that mobility in soil is not expected
<b>OTHER ADVERSE EFFECTS:</b>	No information is available for the product

## SECTION 13 – DISPOSAL CONSIDERATIONS

<b>PRODUCT DISPOSAL:</b>	The generation of waste should be avoided or minimized wherever possible. If product becomes a waste, it does not meet criteria of hazardous waste as defined in 40 CFR 261, Subpart C and D. Do not discharge or dump material into sewer system, the ground or bodies of water. Spill cleanup residues may still be subject to RCRA storage and disposal requirements. Dispose waste in compliance with local, state and federal regulations via licensed waste disposal contractor. See Section 7 for Handling Procedures. See Section 8 for Personal Protective Equipment recommendations
<b>CONTAINER DISPOSAL:</b>	Even after emptying, container may retain residues. Containers should be completely emptied and safely stored until appropriately reconditioned or dispose of (contents/container) in accordance with local/regional/national/international regulations.

## SECTION 14 – TRANSPORTATION CONSIDERATIONS

<b>Land transport, U.S. DOT:</b>	Non-Regulated
<b>Sea transport, IMDG</b>	Non-Regulated
<b>Air transport, IATA/ICAO:</b>	Non-Regulated

## SECTION 15 – REGULATORY INFORMATION (Non-Mandatory Section as per OSHA: Not a Complete List)

<b>U.S. REGULATIONS</b>	
<b>OSHA HCS:</b>	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29CFR 1910.1200.
<b>TSCA REGULATIONS:</b>	All components of this product are listed or are exempt from TSCA Inventory requirements under 40 CFR 720.30
<b>EPCRA Section 302 (40 CFR Part 355)</b>	(Emergency Response Planning, Extremely Hazardous Substance): No components are subject to the reporting.
<b>EPCRA Section 304 (40 CFR Part 355)</b>	(Emergency Release Notification Requirements): No components are subject to the reporting.
<b>EPCRA Sections 311 &amp; 312</b>	(Hazardous Chemical Inventory Reporting, Hazard Categories): Acute Health Hazard, Chronic Health Hazard
<b>EPCRA Section 313 40 CFR Part 372)</b>	(Toxic Chemical Release Inventory Reporting): No components or impurities of this product are present above De Minimis level and therefore do not require reporting.
<b>CERCLA Sections 102-103 (40 CFR Part 302)</b>	(Hazardous Substances Release Notification): No components are subject to the reporting. Some of the components contain trace amounts of the following chemicals that require reporting if a criterion of reportable quantity is fulfilled: Fine Mineral Fibers of average diameter $\leq 1\mu\text{m}$ (including Crystalline Silica, CAS #: 14808-60-7 with diameter $\leq 1\mu\text{m}$ )
<b>CLEAN AIR ACT</b>	Ozone Depleting Substances (ODS): This product does not contain and is not manufactured with ozone depleting substances. Hazardous Air Pollutants, OSHA, Section 112(b), Table Z-1 and Table Z-3:

### COMPONENT ANALYSIS - STATE

STATE	INFORMATION
CA	The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): <b>WARNING!</b> This product contains chemicals known to the state of California to cause cancer, birth defects, or other reproductive harm.

## SECTION 16 – OTHER INFORMATION

### HAZARDOUS MATERIAL INFORMATION SYSTEM (HMIS)

NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

E-Protective Equipment: Safety glasses, gloves, Dust Respirator

<b>Health</b>	<b>1</b>
<b>Flammability</b>	<b>0</b>
<b>Reactivity</b>	<b>0</b>
<b>Personal Protection</b>	<b>E</b>

### OTHER INFORMATION:

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY TURLEY INTERNATIONAL RESOURCES, LLC., except that the product shall conform to contracted specifications. The information provided herein was believed by TURLEY INTERNATIONAL RESOURCES, LLC. to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information to comply with all laws and procedures applicable to the safe handling and use of the product and to determine the suitability of the product for its intended use. Buyer's exclusive remedy shall be for damages and no claim of any kind, whether as to product delivered or for non-delivery of product, failure of product due to manufacturers defect, and whether based on contract, breach of warranty, negligence, or otherwise shall be greater in amount than the purchase price of the quantity of product in respect of which damages are claimed. In no event shall Seller be liable for incidental or consequential damages or labor of any kind, whether Buyer's claim is based on contract, breach of warranty, negligence, manufacturers defect, product failure, or otherwise.

Rest of Sheet Purposely Left Blank

END OF SHEET